BACINO ‘LU BANCONI’

Sottobacino ‘B’

Affluente in sx

HEC-RAS Plan: Plan 01 River: Sub_B_Affl_sx Reach: Affl_sx

Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
			(m3/s)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Affl_sx	3200	T 50	55.80	200.00	200.71	200.71	200.97	0.046171	2.36	25.28	48.74	0.95
Affl_sx	3200	T 100	67.64	200.00	200.81	200.81	201.08	0.041032	2.43	30.44	55.35	0.92
Affl_sx	3200	T 200	79.69	200.00	200.87	200.87	201.18	0.040837	2.57	34.15	56.03	0.93
Affl_sx	3200	T 500	95.85	200.00	200.96	200.96	201.30	0.040080	2.72	38.96	56.91	0.93
Affl_sx	3150	T 50	55.80	190.33	191.67	191.67	192.08	0.038367	2.96	20.49	25.70	0.95
Affl_sx	3150	T 100	67.64	190.33	191.79	191.79	192.24	0.037996	3.12	23.68	27.28	0.96
Affl_sx	3150	T 200	79.69	190.33	191.92	191.92	192.39	0.036178	3.22	27.20	28.95	0.94
Affl_sx	3150	T 500	95.85	190.33	192.06	192.06	192.57	0.035007	3.36	31.39	30.16	0.94
Affl_sx	3100	T 50	55.80	184.00	185.10	185.10	185.57	0.043187	3.12	18.48	19.90	1.00
Affl_sx	3100	T 100	67.64	184.00	185.24	185.24	185.76	0.041413	3.29	21.33	20.71	1.00
Affl_sx	3100	T 200	79.69	184.00	185.37	185.37	185.94	0.040171	3.44	24.07	21.46	1.00
Affl_sx	3100	T 500	95.85	184.00	185.53	185.53	186.16	0.038816	3.62	27.61	22.39	1.00
Affl_sx	3050	T 50	55.80	176.00	178.14	178.14	178.95	0.047036	3.99	13.99	8.75	1.01
Affl_sx	3050	T 100	67.64	176.00	178.38	178.38	179.27	0.046354	4.18	16.20	9.25	1.01
Affl_sx	3050	T 200	79.69	176.00	178.61	178.61	179.57	0.045761	4.34	18.37	9.72	1.01
Affl_sx	3050	T 500	95.85	176.00	178.89	178.89	179.94	0.045112	4.53	21.17	10.30	1.01
Affl_sx	3000	T 50	55.80	172.00	173.29	173.29	173.81	0.046257	3.21	17.36	16.72	1.01
Affl_sx	3000	T 100	67.64	172.00	173.45	173.45	174.03	0.044951	3.37	20.05	17.52	1.01
Affl_sx	3000	T 200	79.69	172.00	173.59	173.59	174.22	0.043896	3.51	22.68	18.27	1.01
Affl_sx	3000	T 500	95.85	172.00	173.77	173.77	174.46	0.042673	3.67	26.09	19.20	1.01
Affl_sx	2950	T 50	55.80	164.00	165.65	165.65	166.28	0.044766	3.53	15.82	12.57	1.00
Affl_sx	2950	T 100	67.64	164.00	165.84	165.84	166.54	0.043984	3.70	18.27	13.26	1.01
Affl_sx	2950	T 200	79.69	164.00	166.02	166.02	166.77	0.043056	3.84	20.73	13.94	1.01
Affl_sx	2950	T 500	95.85	164.00	166.24	166.24	167.06	0.042119	4.00	23.94	14.84	1.01
Affl_sx	2900	T 50	55.80	156.00	156.80	156.80	157.20	0.045136	2.23	20.09	25.27	0.91
Affl_sx	2900	T 100	67.64	156.00	156.92	156.92	157.36	0.044141	2.38	23.13	26.35	0.91
Affl_sx	2900	T 200	79.69	156.00	157.03	157.03	157.51	0.042879	2.49	26.21	27.48	0.91
Affl_sx	2900	T 500	95.85	156.00	157.17	157.17	157.70	0.042025	2.64	30.14	28.97	0.91
Affl_sx	2800	T 50	55.80	140.00	141.19	141.19	141.66	0.043148	3.04	18.41	20.08	1.00
Affl_sx	2800	T 100	67.64	140.00	141.33	141.33	141.84	0.041369	3.20	21.29	21.15	1.00
Affl_sx	2800	T 200	79.69	140.00	141.46	141.46	142.02	0.039882	3.33	24.15	22.17	0.99
Affl_sx	2800	T 500	95.85	140.00	141.62	141.62	142.23	0.038073	3.48	27.93	23.44	0.99
Affl_sx	2714	T 50	55.80	125.07	127.64	127.64	128.42	0.045177	3.91	14.28	9.37	1.01
Affl_sx	2714	T 100	67.64	125.07	127.88	127.88	128.73	0.044568	4.08	16.57	10.05	1.01
Affl_sx	2714	T 200	79.69	125.07	128.13	128.13	129.01	0.043758	4.16	19.14	11.00	1.01
Affl_sx	2714	T 500	95.85	125.07	128.41	128.41	129.34	0.044161	4.26	22.51	12.38	1.01
Affl_sx	2700	T 50	55.80	124.00	125.76	125.76	126.41	0.042909	3.59	15.56	12.05	1.01
Affl_sx	2700	T 100	67.64	124.00	125.96	125.96	126.67	0.041788	3.75	18.05	12.78	1.01
Affl_sx	2700	T 200	79.69	124.00	126.14	126.14	126.91	0.040928	3.89	20.48	13.46	1.01
Affl_sx	2700	T 500	95.85	124.00	126.36	126.36	127.21	0.040150	4.07	23.53	14.16	1.01
Affl_sx	2650	T 50	55.80	112.00	114.09	114.09	114.76	0.042746	3.63	15.37	11.64	1.01
Affl_sx	2650	T 100	67.64	112.00	114.29	114.29	115.03	0.042088	3.79	17.84	12.48	1.01
Affl_sx	2650	T 200	79.69	112.00	114.50	114.50	115.27	0.040905	3.88	20.55	13.56	1.01
Affl_sx	2650	T 500	95.85	112.00	114.76	114.76	115.55	0.040742	3.95	24.27	15.43	1.00
Affl_sx	2600	T 50	55.80	100.00	102.17	102.17	102.93	0.047830	3.86	14.44	9.63	1.01
Affl_sx	2600	T 100	67.64	100.00	102.40	102.40	103.23	0.046851	4.03	16.77	10.27	1.01
Affl_sx	2600	T 200	79.69	100.00	102.62	102.62	103.51	0.046013	4.18	19.07	10.86	1.01
Affl_sx	2600	T 500	95.85	100.00	102.88	102.88	103.85	0.045068	4.35	22.03	11.59	1.01
Affl_sx	2550	T 50	55.80	96.00	97.48	97.48	98.11	0.046329	3.51	15.88	12.76	1.01
Affl_sx	2550	T 100	67.64	96.00	97.67	97.67	98.36	0.045066	3.69	18.32	13.28	1.00
Affl_sx	2550	T 200	79.69	96.00	97.84	97.84	98.60	0.044448	3.86	20.64	13.75	1.01
Affl_sx	2550	T 500	95.85	96.00	98.05	98.05	98.89	0.043571	4.05	23.67	14.34	1.01
Affl_sx	2500	T 50	55.80	92.00	93.29	93.29	93.83	0.047488	3.23	17.26	16.26	1.00
Affl_sx	2500	T 100	67.64	92.00	93.45	93.45	94.04	0.046246	3.40	19.89	16.97	1.00
Affl_sx	2500	T 200	79.69	92.00	93.60	93.60	94.24	0.045221	3.55	22.46	17.64	1.00
Affl_sx	2500	T 500	95.85	92.00	93.78	93.78	94.49	0.044185	3.72	25.76	18.46	1.01
Affl_sx	2463	T 50	55.80	88.00	89.33	89.33	89.81	0.046361	3.08	18.15	19.13	1.01
Affl_sx	2463	T 100	67.64	88.00	89.48	89.48	90.01	0.045141	3.21	21.05	20.32	1.01
Affl_sx	2463	T 200	79.69	88.00	89.62	89.62	90.18	0.044142	3.34	23.89	21.42	1.01
Affl_sx	2463	T 500	95.85	88.00	89.78	89.78	90.40	0.043057	3.48	27.57	22.77	1.01
Affl_sx	2400	T 50	55.80	84.00	85.47		85.82	0.029333	2.63	21.23	19.61	0.81
Affl_sx	2400	T 100	67.64	84.00	85.62		86.01	0.029602	2.79	24.27	20.67	0.82
Affl_sx	2400	T 200	79.69	84.00	85.76		86.20	0.029533	2.92	27.33	21.68	0.83
Affl_sx	2400	T 500	95.85	84.00	85.93		86.42	0.029959	3.09	31.05	22.86	0.85
Affl_sx	2350	T 50	55.80	82.00	83.46	83.46	83.97	0.046500	3.19	17.50	16.98	1.00
Affl_sx	2350	T 100	67.64	82.00	83.61	83.61	84.18	0.045654	3.36	20.16	17.84	1.01
Affl_sx	2350	T 200	79.69	82.00	83.75	83.75	84.37	0.044538	3.49	22.83	18.67	1.01

HEC-RAS Plan: Plan 01 River: Sub_B_Affl_sx Reach: Affl_sx (Continued)

Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
			(m3/s)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Affl_sx	2350	T 500	95.85	82.00	83.93	83.93	84.61	0.043519	3.65	26.24	19.68	1.01
Affl_sx	2300	T 50	55.80	79.38	80.65	80.65	81.05	0.050253	2.78	20.09	26.20	1.01
Affl_sx	2300	T 100	67.64	79.38	80.76	80.76	81.20	0.048297	2.94	22.97	26.60	1.01
Affl_sx	2300	T 200	79.69	79.38	80.87	80.87	81.35	0.046775	3.09	25.76	26.98	1.01
Affl_sx	2300	T 500	95.85	79.38	81.00	81.00	81.54	0.045144	3.27	29.31	27.46	1.01
Affl_sx	2261	T 50	55.80	76.00	78.26	78.22	78.85	0.042904	3.40	16.42	13.25	0.97
Affl_sx	2261	T 100	67.64	76.00	78.42	78.42	79.09	0.045075	3.63	18.61	14.09	1.01
Affl_sx	2261	T 200	79.69	76.00	78.60	78.60	79.32	0.043704	3.75	21.28	15.05	1.01
Affl_sx	2261	T 500	95.85	76.00	78.82	78.82	79.59	0.042729	3.89	24.63	16.18	1.01
Affl_sx	2200	T 50	55.80	74.32	75.60	75.60	76.02	0.048623	2.88	19.34	23.30	1.01
Affl_sx	2200	T 100	67.64	74.32	75.72	75.72	76.19	0.047082	3.03	22.34	24.41	1.01
Affl_sx	2200	T 200	79.69	74.32	75.84	75.84	76.35	0.045829	3.15	25.27	25.45	1.01
Affl_sx	2200	T 500	95.85	74.32	75.98	75.98	76.54	0.044497	3.30	29.06	26.74	1.01
Affl_sx	2166	T 50	55.80	72.00	73.73	73.61	74.12	0.032247	2.76	20.20	19.85	0.87
Affl_sx	2166	T 100	67.64	72.00	73.87	73.77	74.31	0.032878	2.93	23.12	21.12	0.89
Affl_sx	2166	T 200	79.69	72.00	74.00	73.91	74.48	0.033474	3.07	25.92	22.28	0.91
Affl_sx	2166	T 500	95.85	72.00	74.15	74.08	74.69	0.034197	3.25	29.48	23.68	0.93
Affl_sx	2100	T 50	55.80	70.00	71.16	71.16	71.63	0.043814	3.04	18.33	19.55	1.00
Affl_sx	2100	T 100	67.64	70.00	71.30	71.30	71.82	0.042668	3.20	21.14	20.47	1.01
Affl_sx	2100	T 200	79.69	70.00	71.43	71.43	72.00	0.041710	3.34	23.89	21.33	1.01
Affl_sx	2100	T 500	95.85	70.00	71.59	71.59	72.22	0.040588	3.49	27.45	22.40	1.01
Affl_sx	2050	T 50	55.80	68.00	69.76	69.34	69.91	0.014573	1.73	32.23	34.08	0.57
Affl_sx	2050	T 100	67.64	68.00	69.88	69.48	70.05	0.015813	1.86	36.30	36.56	0.60
Affl_sx	2050	T 200	79.69	68.00	69.98	69.59	70.18	0.016974	1.99	40.12	38.75	0.62
Affl_sx	2050	T 500	95.85	68.00	70.09	69.73	70.32	0.018305	2.15	44.48	40.24	0.65
Affl_sx	2000	T 50	55.80	67.59	68.36	68.36	68.58	0.062319	2.07	26.90	63.77	1.02
Affl_sx	2000	T 100	67.64	67.59	68.42	68.42	68.67	0.059426	2.20	30.72	64.26	1.02
Affl_sx	2000	T 200	79.69	67.59	68.48	68.48	68.75	0.057114	2.32	34.41	64.73	1.01
Affl_sx	2000	T 500	95.85	67.59	68.56	68.56	68.86	0.053453	2.44	39.36	65.36	1.00
Affl_sx	1950	T 50	55.80	64.00	65.90		65.99	0.005298	1.30	42.97	30.42	0.35
Affl_sx	1950	T 100	67.64	64.00	66.08		66.18	0.005560	1.40	48.38	31.87	0.36
Affl_sx	1950	T 200	79.69	64.00	66.24		66.35	0.005777	1.49	53.60	33.20	0.37
Affl_sx	1950	T 500	95.85	64.00	66.43		66.56	0.006043	1.59	60.14	34.80	0.39
Affl_sx	1900	T 50	55.80	63.61	64.92	64.92	65.34	0.054486	2.87	19.45	23.74	1.01
Affl_sx	1900	T 100	67.64	63.61	65.05	65.05	65.51	0.052330	3.01	22.50	24.81	1.01
Affl_sx	1900	T 200	79.69	63.61	65.16	65.16	65.66	0.051216	3.14	25.39	25.77	1.01
Affl_sx	1900	T 500	95.85	63.61	65.30	65.30	65.85	0.049842	3.29	29.14	26.98	1.01
Affl_sx	1850	T 50	55.80	60.00	60.64	60.64	60.95	0.056144	2.47	22.62	36.51	1.00
Affl_sx	1850	T 100	67.64	60.00	60.72	60.72	61.07	0.054048	2.63	25.76	36.77	1.00
Affl_sx	1850	T 200	79.69	60.00	60.80	60.80	61.19	0.052234	2.77	28.81	37.02	1.00
Affl_sx	1850	T 500	95.85	60.00	60.91	60.91	61.35	0.050739	2.94	32.58	37.33	1.00
Affl_sx	1801	T 50	55.80	56.00	58.14		58.44	0.017600	2.41	23.16	15.63	0.63
Affl_sx	1801	T 100	67.64	56.00	58.30		58.66	0.019147	2.63	25.75	16.25	0.67
Affl_sx	1801	T 200	79.69	56.00	58.45		58.86	0.020687	2.83	28.15	16.79	0.70
Affl_sx	1801	T 500	95.85	56.00	58.62		59.11	0.022592	3.08	31.11	17.44	0.74
Affl_sx	1772	T 50	55.80	56.00	57.88		58.03	0.009260	1.72	32.42	22.67	0.46
Affl_sx	1772	T 100	67.64	56.00	58.02		58.21	0.010371	1.90	35.67	23.47	0.49
Affl_sx	1772	T 200	79.69	56.00	58.14		58.36	0.011558	2.07	38.54	24.14	0.52
Affl_sx	1772	T 500	95.85	56.00	58.29		58.55	0.013081	2.28	42.04	24.94	0.56
Affl_sx	1700	T 50	55.80	56.00	56.62	56.56	56.82	0.040669	2.00	27.97	49.02	0.84
Affl_sx	1700	T 100	67.64	56.00	56.71	56.63	56.93	0.036887	2.08	32.48	49.57	0.82
Affl_sx	1700	T 200	79.69	56.00	56.80	56.69	57.04	0.034011	2.16	36.90	50.10	0.80
Affl_sx	1700	T 500	95.85	56.00	56.91		57.17	0.031049	2.25	42.62	50.78	0.78
Affl_sx	1650	T 50	55.80	52.00	54.18	54.18	54.75	0.040589	3.33	16.78	15.25	1.01
Affl_sx	1650	T 100	67.64	52.00	54.36	54.36	54.97	0.040061	3.46	19.53	16.45	1.01
Affl_sx	1650	T 200	79.69	52.00	54.52	54.52	55.17	0.039237	3.57	22.30	17.58	1.01
Affl_sx	1650	T 500	95.85	52.00	54.71	54.71	55.41	0.038405	3.70	25.88	18.94	1.01
Affl_sx	1600	T 50	55.80	52.00	54.12		54.18	0.002613	1.07	52.98	39.69	0.29
Affl_sx	1600	T 100	67.64	52.00	54.33		54.39	0.003008	1.10	62.50	52.75	0.32
Affl_sx	1600	T 200	79.69	52.00	54.51		54.58	0.002765	1.10	73.13	57.42	0.31
Affl_sx	1600	T 500	95.85	52.00	54.74		54.81	0.002447	1.12	86.59	60.04	0.30
Affl_sx	1561	T 50	55.80	51.74	54.09		54.11	0.000841	0.66	84.84	47.70	0.16
Affl_sx	1561	T 100	67.64	51.74	54.29		54.32	0.000899	0.72	94.52	49.00	0.16
Affl_sx	1561	T 200	79.69	51.74	54.48		54.51	0.000948	0.77	103.83	50.23	0.17
Affl_sx	1561	T 500	95.85	51.74	54.71		54.74	0.001009	0.83	115.42	51.71	0.18
Affl_sx	1500	T 50	55.80	52.00	53.96		54.02	0.002691	1.11	50.35	29.19	0.27

HEC-RAS Plan: Plan 01 River: Sub_B_Affl_sx Reach: Affl_sx (Continued)

Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
			(m3/s)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Affl_sx	1500	T 100	67.64	52.00	54.15		54.22	0.002884	1.22	55.81	29.85	0.28
Affl_sx	1500	T 200	79.69	52.00	54.32		54.41	0.003050	1.31	61.04	30.47	0.29
Affl_sx	1500	T 500	95.85	52.00	54.53		54.63	0.003260	1.43	67.48	31.21	0.30
Affl_sx	1450	T 50	55.80	52.00	53.77		53.85	0.004355	1.27	43.80	28.56	0.33
Affl_sx	1450	T 100	67.64	52.00	53.94		54.04	0.004665	1.39	48.70	29.32	0.34
Affl_sx	1450	T 200	79.69	52.00	54.10		54.21	0.004913	1.49	53.46	30.04	0.36
Affl_sx	1450	T 500	95.85	52.00	54.29		54.43	0.005232	1.62	59.33	30.91	0.37
Affl_sx	1400	T 50	55.80	52.00	53.58		53.64	0.003858	1.16	48.23	33.26	0.31
Affl_sx	1400	T 100	67.64	52.00	53.73		53.81	0.004109	1.26	53.50	33.79	0.32
Affl_sx	1400	T 200	79.69	52.00	53.88		53.98	0.004294	1.36	58.65	34.30	0.33
Affl_sx	1400	T 500	95.85	52.00	54.06		54.18	0.004556	1.48	64.88	34.91	0.35
Affl_sx	1350	T 50	55.80	52.00	52.77	52.77	53.14	0.049501	2.69	20.77	28.56	1.01
Affl_sx	1350	T 100	67.64	52.00	52.88	52.88	53.29	0.047139	2.84	23.83	29.04	1.00
Affl_sx	1350	T 200	79.69	52.00	52.98	52.98	53.43	0.046126	2.99	26.63	29.47	1.00
Affl_sx	1350	T 500	95.85	52.00	53.10	53.10	53.61	0.044683	3.16	30.29	30.03	1.01
Affl_sx	1300	T 50	55.80	46.00	49.46		49.61	0.008945	1.74	32.01	18.55	0.42
Affl_sx	1300	T 100	67.64	46.00	49.66		49.84	0.009662	1.88	35.90	19.64	0.44
Affl_sx	1300	T 200	79.69	46.00	49.83		50.04	0.010514	2.02	39.36	20.64	0.47
Affl_sx	1300	T 500	95.85	46.00	50.04		50.29	0.011370	2.19	43.76	21.65	0.49
Affl_sx	1250	T 50	55.80	46.00	49.10		49.20	0.006954	1.44	38.88	28.41	0.39
Affl_sx	1250	T 100	67.64	46.00	49.29		49.41	0.007150	1.51	44.69	30.73	0.40
Affl_sx	1250	T 200	79.69	46.00	49.46		49.59	0.007241	1.60	49.73	31.42	0.41
Affl_sx	1250	T 500	95.85	46.00	49.66		49.80	0.007361	1.71	56.12	32.28	0.41
Affl_sx	1201	T 50	55.80	46.00	47.94	47.94	48.42	0.053372	3.07	18.18	19.13	1.00
Affl_sx	1201	T 100	67.64	46.00	48.09	48.09	48.61	0.053190	3.21	21.06	20.64	1.02
Affl_sx	1201	T 200	79.69	46.00	48.23	48.23	48.79	0.051922	3.31	24.05	22.11	1.01
Affl_sx	1201	T 500	95.85	46.00	48.40	48.40	49.00	0.050442	3.43	27.95	23.88	1.01
Affl_sx	1150	T 50	55.80	44.00	45.76		45.86	0.006200	1.37	40.72	31.90	0.39
Affl_sx	1150	T 100	67.64	44.00	45.92		46.03	0.006485	1.47	45.98	33.50	0.40
Affl_sx	1150	T 200	79.69	44.00	46.07		46.19	0.006716	1.57	50.84	34.56	0.41
Affl_sx	1150	T 500	95.85	44.00	46.23		46.38	0.006967	1.69	56.70	35.30	0.43
Affl_sx	1100	T 50	55.80	44.00	44.79	44.79	45.16	0.051559	2.70	20.70	28.26	1.01
Affl_sx	1100	T 100	67.64	44.00	44.89	44.89	45.31	0.049419	2.85	23.70	28.77	1.00
Affl_sx	1100	T 200	79.69	44.00	44.99	44.99	45.45	0.047605	2.99	26.64	29.25	1.00
Affl_sx	1100	T 500	95.85	44.00	45.12	45.12	45.63	0.046136	3.16	30.30	29.85	1.00
Affl_sx	1050	T 50	55.80	40.62	42.66		43.06	0.028486	2.80	19.95	16.14	0.80
Affl_sx	1050	T 100	67.64	40.62	42.88		43.30	0.026471	2.87	23.61	17.42	0.79
Affl_sx	1050	T 200	79.69	40.62	43.08		43.52	0.024981	2.93	27.21	18.61	0.77
Affl_sx	1050	T 500	95.85	40.62	43.32		43.78	0.023496	3.00	31.90	20.04	0.76
Affl_sx	1000	T 50	55.80	40.00	42.23		42.37	0.006706	1.68	33.28	19.20	0.41
Affl_sx	1000	T 100	67.64	40.00	42.43		42.60	0.007144	1.81	37.27	19.97	0.42
Affl_sx	1000	T 200	79.69	40.00	42.62		42.81	0.007530	1.94	41.09	20.68	0.44
Affl_sx	1000	T 500	95.85	40.00	42.85		43.07	0.007974	2.09	45.91	21.55	0.46
Affl_sx	937	T 50	55.80	40.00	41.89		41.99	0.005215	1.46	38.27	22.74	0.36
Affl_sx	937	T 100	67.64	40.00	42.06		42.19	0.005644	1.60	42.37	23.22	0.38
Affl_sx	937	T 200	79.69	40.00	42.23		42.38	0.006037	1.72	46.23	23.66	0.39
Affl_sx	937	T 500	95.85	40.00	42.43		42.61	0.006511	1.88	51.03	24.20	0.41
Affl_sx	900	T 50	55.80	40.00	41.70		41.80	0.005192	1.41	39.44	26.43	0.37
Affl_sx	900	T 100	67.64	40.00	41.86		41.98	0.005537	1.54	43.87	27.05	0.39
Affl_sx	900	T 200	79.69	40.00	42.01		42.15	0.005847	1.66	48.06	27.62	0.40
Affl_sx	900	T 500	95.85	40.00	42.20		42.37	0.006211	1.80	53.31	28.32	0.42
Affl_sx	850	T 50	55.80	40.00	40.80	40.80	41.19	0.047015	2.75	20.29	26.62	1.01
Affl_sx	850	T 100	67.64	40.00	40.91	40.91	41.35	0.045321	2.92	23.17	27.00	1.01
Affl_sx	850	T 200	79.69	40.00	41.01	41.01	41.49	0.043939	3.07	25.96	27.35	1.01
Affl_sx	850	T 500	95.85	40.00	41.14	41.14	41.68	0.042466	3.25	29.52	27.80	1.01
Affl_sx	800	T 50	55.80	36.00	38.05		38.32	0.016545	2.30	24.28	17.16	0.62
Affl_sx	800	T 100	67.64	36.00	38.22		38.53	0.017674	2.48	27.31	18.10	0.64
Affl_sx	800	T 200	79.69	36.00	38.38		38.73	0.018628	2.63	30.28	19.03	0.67
Affl_sx	800	T 500	95.85	36.00	38.57		38.97	0.019724	2.82	34.04	20.16	0.69
Affl_sx	755	T 50	55.80	36.00	37.76		37.86	0.005689	1.39	40.19	27.88	0.37
Affl_sx	755	T 100	67.64	36.00	37.92		38.04	0.006164	1.51	44.66	28.79	0.39
Affl_sx	755	T 200	79.69	36.00	38.07		38.21	0.006521	1.62	49.09	29.67	0.40
Affl_sx	755	T 500	95.85	36.00	38.25		38.41	0.006971	1.76	54.57	30.72	0.42
Affl_sx	700	T 50	55.80	36.00	36.77	36.77	37.13	0.050471	2.64	21.10	29.95	1.01
Affl_sx	700	T 100	67.64	36.00	36.88	36.88	37.27	0.048690	2.80	24.17	30.66	1.01
Affl_sx	700	T 200	79.69	36.00	36.97	36.97	37.41	0.047235	2.93	27.16	31.33	1.01
Affl_sx	700	T 500	95.85	36.00	37.09	37.09	37.58	0.045687	3.09	30.98	32.16	1.01


HEC-RAS Plan: Plan 01 River: Sub_B_Affl sx Reach: Affl_sx (Continued)

Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
			(m3/s)	(m)	(m)	(m)	(m)	(m/m)	(m/s)	(m2)	(m)	
Affl_sx	650	T 50	55.80	33.17	34.79		35.03	0.017985	2.14	26.02	22.81	0.64
Affl_sx	650	T 100	67.64	33.17	34.98		35.23	0.017181	2.23	30.40	24.35	0.64
Affl_sx	650	T 200	79.69	33.17	35.14		35.41	0.016729	2.31	34.57	25.72	0.63
Affl_sx	650	T 500	95.85	33.17	35.34		35.64	0.016301	2.40	39.91	27.39	0.64
Affl_sx	583	T 50	55.80	32.00	34.05		34.19	0.008659	1.68	33.24	24.67	0.46
Affl_sx	583	T 100	67.64	32.00	34.22		34.38	0.009100	1.80	37.59	26.08	0.48
Affl_sx	583	T 200	79.69	32.00	34.37		34.56	0.009488	1.91	41.77	27.36	0.49
Affl_sx	583	T 500	95.85	32.00	34.57		34.78	0.009871	2.03	47.17	28.94	0.51
Affl_sx	550	T 50	55.80	32.00	33.81		33.92	0.006958	1.49	37.49	28.52	0.41
Affl_sx	550	T 100	67.64	32.00	33.97		34.10	0.007370	1.60	42.15	29.90	0.43
Affl_sx	550	T 200	79.69	32.00	34.12		34.27	0.007738	1.71	46.60	31.14	0.45
Affl_sx	550	T 500	95.85	32.00	34.30		34.47	0.008074	1.83	52.42	32.69	0.46
Affl_sx	500	T 50	55.80	32.00	32.93	32.84	33.24	0.034485	2.46	22.66	26.29	0.85
Affl_sx	500	T 100	67.64	32.00	33.07	32.95	33.41	0.031708	2.57	26.33	26.89	0.83
Affl_sx	500	T 200	79.69	32.00	33.20	33.05	33.56	0.029917	2.67	29.83	27.45	0.82
Affl_sx	500	T 500	95.85	32.00	33.35		33.76	0.028839	2.82	34.03	28.10	0.82
Affl_sx	441	T 50	55.80	30.00	31.72	31.30	31.91	0.015280	1.96	28.48	25.61	0.59
Affl_sx	441	T 100	67.64	30.00	31.86	31.44	32.08	0.016049	2.09	32.31	27.29	0.61
Affl_sx	441	T 200	79.69	30.00	31.99	31.57	32.24	0.016667	2.21	36.03	28.83	0.63
Affl_sx	441	T 500	95.85	30.00	32.14	31.73	32.43	0.017279	2.38	40.32	29.69	0.65
Affl_sx	400	T 50	55.80	29.09	30.45	30.45	30.84	0.050808	2.77	20.15	26.58	1.02
Affl_sx	400	T 100	67.64	29.09	30.57	30.57	30.99	0.049130	2.88	23.49	28.41	1.01
Affl_sx	400	T 200	79.69	29.09	30.68	30.68	31.13	0.048130	2.99	26.69	30.05	1.01
Affl_sx	400	T 500	95.85	29.09	30.81	30.81	31.31	0.046994	3.11	30.83	32.06	1.01
Affl_sx	350	T 50	55.80	28.00	29.71		29.86	0.006691	1.71	32.69	27.24	0.50
Affl_sx	350	T 100	67.64	28.00	29.86		30.03	0.007128	1.84	36.78	28.62	0.52
Affl_sx	350	T 200	79.69	28.00	29.99		30.19	0.007523	1.96	40.69	29.88	0.54
Affl_sx	350	T 500	95.85	28.00	30.15		30.38	0.008013	2.11	45.51	31.66	0.56
Affl_sx	300	T 50	55.80	28.00	28.83	28.83	29.19	0.036306	2.66	20.96	29.34	1.01
Affl_sx	300	T 100	67.64	28.00	28.93	28.93	29.33	0.034885	2.81	24.10	30.30	1.00
Affl_sx	300	T 200	79.69	28.00	29.03	29.03	29.47	0.033709	2.93	27.18	31.22	1.00
Affl_sx	300	T 500	95.85	28.00	29.16	29.16	29.64	0.032436	3.08	31.14	32.36	1.00
Affl_sx	259	T 50	55.80	24.90	26.43	26.43	26.94	0.036285	3.16	17.65	17.61	1.01
Affl_sx	259	T 100	67.64	24.90	26.59	26.59	27.14	0.035463	3.30	20.50	18.79	1.01
Affl_sx	259	T 200	79.69	24.90	26.73	26.73	27.33	0.034803	3.42	23.29	19.88	1.01
Affl_sx	259	T 500	95.85	24.90	26.91	26.91	27.55	0.034022	3.56	26.91	21.21	1.01
Affl_sx	200	T 50	55.80	24.00	26.07		26.18	0.003383	1.43	38.94	31.01	0.41
Affl_sx	200	T 100	67.64	24.00	26.20		26.33	0.003794	1.57	43.07	32.54	0.44
Affl_sx	200	T 200	79.69	24.00	26.32		26.46	0.004188	1.70	46.91	33.90	0.46
Affl_sx	200	T 500	95.85	24.00	26.45		26.63	0.004689	1.86	51.59	35.44	0.49
Affl_sx	130	T 50	55.80	24.00	25.36	25.36	25.63	0.023919	2.39	25.33	48.02	0.95
Affl_sx	130	T 100	67.64	24.00	25.44	25.44	25.73	0.024401	2.51	29.24	52.13	0.97
Affl_sx	130	T 200	79.69	24.00	25.52	25.52	25.82	0.024120	2.59	33.37	56.09	0.98
Affl_sx	130	T 500	95.85	24.00	25.61	25.61	25.94	0.023767	2.68	38.71	60.84	0.98
Affl_sx	100	T 50	55.80	24.00	25.29	24.81	25.33	0.002931	0.92	60.54	87.71	0.35
Affl_sx	100	T 100	67.64	24.00	25.37		25.42	0.003095	0.99	68.04	91.55	0.37
Affl_sx	100	T 200	79.69	24.00	25.45		25.51	0.003156	1.05	75.91	95.42	0.38
Affl_sx	100	T 500	95.85	24.00	25.55		25.62	0.003304	1.12	85.42	102.48	0.39
Affl_sx	43	T 50	55.80	24.00	24.71	24.71	24.93	0.028109	2.06	27.06	63.28	1.01
Affl_sx	43	T 100	67.64	24.00	24.78	24.78	25.02	0.026896	2.13	31.81	71.41	1.00
Affl_sx	43	T 200	79.69	24.00	24.86	24.86	25.09	0.026462	2.15	37.27	80.87	0.99
Affl_sx	43	T 500	95.85	24.00	24.91	24.91	25.18	0.028581	2.32	41.49	84.42	1.04

B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2050



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 3200



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 3150



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 3100



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 3050



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 3000



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2950



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2900



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2800



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2714



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE

River = Sub_B_Afflsx Reach = Affl_sx RS = 2700




Station (m)

B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2650



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2600



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2550



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2500



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2463



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2400



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2350



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2300



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2261



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2200



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2166



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2100



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 2000



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1950



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1900



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1850



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1801



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1772



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1700



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1650



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1650



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1561



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1500



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1450



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1400



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1350



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1300



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1250



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1201



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1150



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1150



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1050



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 1050



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 937



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 900



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 850



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 800



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 755



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 700



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 650



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 583



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 550



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 500



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 441



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 400



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 350



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 300



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 259



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 200



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 130



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE


River = Sub_B_Afflsx Reach = Affl_sx RS = 130



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE

River = Sub_B_Afflsx Reach = Affl_sx RS = 43



B_Affl_sx Plan: Plan 01

Geom: B_Affl_sx_SI Flow: PORTATE

